

INFOPRINT 2190 AND INFOPRINT 2210

HIGHLIGHTS

- Print up to 90 (InfoPrint® 2190) and 110 (InfoPrint 2210) ppm¹ (letter/A4) with up to 8,050 sheet input capacity and in-line finishing, including a saddle stitch booklet maker
- Advance the security of your information with multiple layers of control
- Simplify walk-up or operator use with a 10.4" (264 mm) Super VGA colour touch screen display, multifunction capabilities and versatile editing functions
- Reduce your total cost of print by consolidating current print workloads onto a powerful InfoPrint 2190 or 2210
- Ease integration in many environments with support for multiple data streams, including native IPDS™



CAPITALISE ON VERSATILITY: WALK-UP OR PRODUCTION

Flexibility is the name of the game in business, especially if your goals include cost containment, downsizing or consolidation. The InfoPrint 2190 and InfoPrint 2210 cutsheet printers build on the success of their predecessors, the InfoPrint 2090ES and InfoPrint 2105ES, and enhance your flexibility with a modular design and an array of standard and optional features. These next-generation printers are

designed to provide the functionality which can help you optimise resources, lower operating costs and obtain rapid ROI.

The InfoPrint 2190 and InfoPrint 2210 can operate as a centralised print solution with dedicated operators or as a departmental walk-up solution or both. They offer the ease of use associated with workgroup printers combined with the high speed, high performance and high duty cycle of production printers. A single output solution, equipped with multifunction

(print, copy and scan-to) capabilities, workflow tools and versatile finishing choices can help you achieve your operating objectives.

PICK UP THE PACE WITH HIGH-PERFORMANCE FEATURES

In data centres or departments with high-volume requirements, your printer's performance can make or break your day. The InfoPrint 2190 and InfoPrint 2210 are designed to sustain a fast pace and to complete diverse jobs efficiently.

Support for many popular data streams, including InfoPrint Solutions Company Intelligent Printer Data Stream (IPDS), enables integration into multiple environments.

IPDS can provide seamless integration into host-based workflow, and its page-level error recovery capabilities help you retain integrity in mission-critical applications.

MAINTAIN PRINT JOB AND DATA STREAM CONFIDENTIALITY

The InfoPrint Solutions Company offers multiple levels of security to control access to the device and to protect data which is sent to and stored on the device.

For example, end-user authentication can be achieved externally with systems like LDAP or Windows® or internally by authenticating users against credentials stored within the device itself.

An optional data overwrite security feature, which is designed to meet government standards for classified information, can automatically overwrite temporary data stored on the hard drive after every copy, print and scan job. Overwritten data is extremely difficult to reconstruct.

ADD CAPABILITIES AS YOU NEED THEM

The InfoPrint 2190 and InfoPrint 2210 offer an exceptional range of input/output choices, which enable custom configurations and investment protection. You buy only what you need today but preserve flexibility for the future.

In addition to the 3,000-sheet standard paper supply and standard automatic duplexing, you can add supplemental paper trays (to a maximum capacity of 8,050 sheets). Finishing choices include the standard stapler, hole punch, z-folder and saddle-stitch booklet maker. Add a seventh paper source or feed special stocks such as letterhead and postcards up to 80 lb. (216 g/m²) cover with the 500-sheet multi-bypass tray.

Expand your ability to build complex documents with the two-tray post-fuse cover interposer, which can feed pre-printed or colour covers and insert anywhere into your finished documents. With these production-level capabilities at your fingertips, you can produce a wide variety of professional materials quickly and efficiently in-house rather than sending the jobs off-site for finishing.

ENHANCE RELIABILITY AND DURABILITY

High speed and high volume supported by reliability and durability can relieve production headaches and contribute to the bottom line. The InfoPrint 2190 and InfoPrint 2210 include a longer-lasting drum design, a duplex inverter which can improve duplex performance and an optical multi-feed detection system which can improve job integrity.

In addition, InfoPrint Solutions Company service professionals are on call to provide fast, expert assistance.

SHIFT INTO A HIGHER GEAR

The right printing solution can reduce cost and improve processes – two powerful advantages in a competitive business environment. The InfoPrint 2190 and InfoPrint 2210 can provide you with the horsepower and functionality you want today and grow with you to accommodate future requirements – in data centres, CRDs, service bureaus and direct mail centres.

FOR MORE INFORMATION

To learn more about the InfoPrint 2190 and InfoPrint 2210, contact your InfoPrint Solutions Company representative or InfoPrint Solutions Partner or visit:

infoprint.com/2190

INFOPRINT 2190/INFOPRINT 2210 AT A GLANCE

System Specifications

Models	InfoPrint 2190; InfoPrint 2210 (not all models available in all geographies)
Memory	160 GB x 2 (320 GB) hard drive; 512 MB RAM memory
Print language support	PCL 5e/PCL 6 (standard); RPCS (Refined Printing Command Stream) (standard); Adobe® PostScript® 3™ and Direct PDF printing (optional); IPDS (optional); LCDS/Metacode (via optional InfoPrint Solutions Company print servers and transforms)
Resolution	300 x 300 dpi to 1200 x 1200 dpi depending on print language

Print speed (letter/A4) InfoPrint 2190/2210: up to 90/110 ppm¹

Copy speed (letter/A4) At ARDF 1-to-1: up to 80 ipm²
At memory retention (multi-copy): InfoPrint 2190/2210: up to 90/110 ipm²

Maximum monthly usage InfoPrint 2190/2210: Up to 1,200,000/1,500,000 images per month³ (letter/A4)

Paper handling - 20 lb. (75 g/m²) bond

Duplex	Standard automatic, limitless
Standard input capacity (letter/A4)	3,000-sheets using standard input trays: Tray 1 (1,000 sheets x 2); Tray 2 (500 sheets); Tray 3 (500 sheets)
Standard output capacity (letter/A4)	Up to 3,500-sheet offset stack finisher with up to 100-sheet multi-position staple capacity: Proof tray 500 sheets; Shift tray 3,000 sheets
Maximum input capacity (letter/A4)	Up to 8,050 sheets using the standard 3000-sheet input capacity, 500-sheet multi-bypass tray and 4,550-sheet letter/A4 high capacity feeder
Maximum output capacity	Up to 3,500 sheet finisher (letter/A4) and 30 saddle stitched sets
Optional input devices	500-sheet multi-bypass tray Large paper size tray 1 kit: 1000 sheets 400-sheet (200 sheet x 2 trays) post fuse cover interposer Choose one of the following: – 4,550-sheet letter/A4 high capacity feeder: Tray 4: 1,000 sheets; Tray 5: 1,000 sheets; Tray 6: 2,550 sheets – 4,000-sheet ledger/A3 high capacity feeder: Tray 4: 1,000 sheets; Tray 5: 2,000 sheets; Tray 6: 1,000 sheets
Optional output devices	2/3 or 2/4 or 4-hole punch unit (choose one): – Supported media weights: 16 lb. (60 g/m ²) bond to 90 lb. (163 g/m ²) index Z-fold unit (not supported via IPDS): – Supported media sizes: letter (A4), legal, ledger (A3) – Supported media weights: 20 lb. (75 g/m ²) bond Saddle stitch booklet finisher (not supported via IPDS): capacity up to 30 sets of 15 sheet (60 page) booklets – Supported media sizes: 8.5" x 11" to 12" x 18" (216 x 279 mm to 305 x 458 mm). – Supported media weights: 20 to 24 lb. (75-90 g/m ²) bond

INFOPRINT 2190/INFOPRINT 2210 AT A GLANCE

Printer media

Media sizes

Tray 1: 8.5" x 11" (216 mm x 279 mm).
– With optional large paper size tray 1 kit: 8.5" x 11" to 11" x 17" (21 mm x 279 mm to 279 mm x 432 mm).
Tray 2: 5.5" x 8.5" to 13" x 18" (140 mm x 216 mm to 330 mm x 458 mm).
Tray 3: 5.5" x 8.5" to 13" x 18" (140 mm x 216 mm to 330 mm x 458 mm).
Multi-bypass tray: 5.5" x 8.5" to 13" x 18" (140 mm x 216 mm to 330 mm x 458 mm).
Letter/A4 high capacity feeder:
– Tray 4, 5, 6: 5.5" x 8.5" to 8.5" x 11" (140 mm x 216 mm to 216 mm x 279 mm).
Ledger/A3 high capacity feeder:
– Tray 4, 5, 6: 5.5" x 8.5" to 13" x 18" (140 mm x 216 mm to 330 mm x 458 mm).
Cover interposer: 5.5" x 8.5" to 13" x 18" (140 mm x 216 mm to 330 mm x 458 mm).
Tabs: Trays 4, 5 and multi-bypass tray; Letter/A4; Up to 12-bank tab sets; Tab ejection to the finisher proof tray

Media weights

Tray 1, 2, 3: 16 lb. to 40 lb. (60-158 g/m²) bond; 50 lb. to 80 lb. (135-216 g/m²) cover; 90 lb. to 110 lb. (163-203 g/m²) index
Multi-bypass tray: 16 lb. bond to 80 lb. cover (60-216 g/m²)
Letter/A4 high capacity feeder:
– Tray 4, 5: 16 lb. bond to 80 lb. cover (60-216 g/m²)
– Tray 6: 16 lb. bond to 90 lb. index (60-163 g/m²)
Ledger/A3 high capacity feeder:
– Tray 4, 5, 6: 16 lb. bond to 80 lb. cover (60-216 g/m²)
Cover interposer: 20 lb. bond to 80 lb. cover (75-216 g/m²)

Communication protocols

TCP/IP, IPX/SPX, SMB, Ether Talk, AppleTalk, IPv6, SNMPV3, NetBIOS, NetBEUI

Interfaces

Standard: Ethernet 10/100BaseTX, USB 2.0; Optional: Gigabit Ethernet

Security

User authentication: Windows, LDAP, Basic, User code; Secure Socket Layer Support; Network Protocol On/Off; SNMP v3 Support; PDF Encryption; Driver Encryption Key (PCL/RPCS driver only); Copy Data Security Unit (optional feature); Data Overwrite Security Unit (optional feature)

Print drivers

PCL 5e/6 (standard): Windows Server® 2003, XP, 2000, Me, 98, 95, NT 4.0
RPCS (standard): Windows Server 2003, XP, 2000, Me, 98, 95, NT 4.0
Adobe® PostScript 3 and Direct PDF printing (optional): Windows Server 2003, XP, 2000, Me, 98, 95, NT 4.0, MacOS, MacOS X

INFOPRINT 2190/INFOPRINT 2210 AT A GLANCE

Software support*	PostScript and PCL: InfoPrint Manager for IBM AIX® 4.2 and Windows 2.2; InfoPrint ProcessDirector V1.2.1 (passthrough only) IPDS: InfoPrint Manager for AIX 4.2 and Windows 2.2; InfoPrint ProcessDirector V1.2.1; PSF for z/OS 3.4 and above; PSF/400 V5R2 and above; PSF/VM 2.1.1 (no finishing support); PSF/VSE 2.1.1 (no finishing support)
Supported utilities	WebImageMonitor; SmartDeviceMonitor; DeskTopBinder Lite; Printer Utility for Mac; USB Printing Support; PDF Direct Printing (through DeskTopBinder Lite and optional Adobe® PostScript 3); Font Manager 2000
Scan capabilities	Type: reversing duplex ADF (automatic document feeder) Reduction/enlargement: 25% - 400% (1% increments) Tray capacity: 100 sheets Scanning speed: up to 80 ipm ² (@ 200 dpi colour or black-and-white)
Physical characteristics	
Base configuration	65.7" x 33.9" x 58.1" (1,670 mm x 860 mm x 1,476 mm) (WxDxH); 836 lbs/380 kg (weight)
Maximum configuration	138.6" x 33.9" x 58.1" (3,520 mm x 860 mm x 1,476 mm) (WxDxH); 1,617 lbs/735 kg (weight)
Power requirements	North America: 208-240V, 20A, 50/60 Hz; Europe: 220-240V, 16A, 50/60 Hz
Environmental requirements	Temperature: 50 to 90°F (10 to 32°C); Humidity: 15% to 80% RH; Acoustics: InfoPrint 2190/2210 78/80 dbA (operating) and 64/70 dbA (idle)
Warranty	Worldwide warranty period will be 3 months unless country law dictates otherwise. Base warranty service level will be onsite repair. Warranty upgrades may be available. Please contact your InfoPrint Solutions Company representative.

© Copyright InfoPrint Solutions Company 2007
All rights reserved.

InfoPrint Solutions Company
6300 Diagonal Highway 002J
Boulder, Colorado 80301-9270
U.S.A.

Printed in the United States of America
June 2007

Ricoh is a registered trademark of Ricoh Co., Ltd., and its affiliated companies. IBM and the IBM logo are registered trademarks of International Business Machines Corporation in the United States, other countries, or both. The Ricoh and IBM trademarks are used under license from their respective trademark owners.

InfoPrint Solutions Company is a tradename of InfoPrint Solutions Company, LLC, in the United States, other countries, or both. InfoPrint is a registered trademark of Ricoh Co., Ltd., in the United States, other countries, or both. InfoPrint is used under license from the trademark owner.

References in this publication to InfoPrint Solutions Company products or services do not imply that InfoPrint Solutions Company intends to make them available in all countries in which InfoPrint Solutions Company operates. Any purchase of such products or services will be exclusively governed by the terms of the sales or license agreement applicable to such purchase to the maximum extent allowed by law.

These terms are trademarks or registered trademarks of Ricoh Co., Ltd., in the United States, other countries, or both: InfoPrint, Ricoh, Intelligent Printer Data Stream and IPDS.

These terms are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both: IBM and AIX.

Adobe, the Adobe logo, PostScript, and the PostScript logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

Other company, product, or service names may be trademarks or service marks of others.

¹Exact speed varies depending on printer settings, document complexity, system configuration, software application, system environment, driver and printer state.

²Exact scan speed varies depending on the document attributes, system configuration and user select settings.

³InfoPrint Solutions Company does not recommend reaching this monthly maximum on a consistent basis.

⁴Not all versions are supported. Contact your sales representative for a detailed list of supported versions