

INFOPRINT 1570 MFP

HIGHLIGHTS

- Boost the level of convenient, flexible support for medium and large workgroups with one multifunction device
- Increase end-user productivity with advanced copy and fax functions
- Enhance security with user access controls, corporate directory browsing and encryption
- Accelerate job completion with first-page-out time as low as 8.5 seconds¹
- Scan double-sided copy documents both in black and in color; print in black
- Increase user productivity with high reliability and low cost of ownership



WORK EFFICIENTLY AND EFFECTIVELY WITH A HIGH-PERFORMANCE MFP

The InfoPrint® 1570 MFP is a high-performance departmental monochrome print, copy, fax and scan device. A single multifunction device can replace multiple single-function devices to lower your total cost of printing and provide the functionality required by an On Demand Business.

This MFP is designed to help you work efficiently and effectively thanks to advanced functionality, a powerful 533 MHz processor,

first-page-out time as low as 8.5 seconds and print speed up to 50 pages per minute (ppm)¹. The low-glare, adjustable color touch screen and intuitive interface make it easy for all types of users to complete jobs quickly.

SIMPLIFY DAILY OUTPUT TASKS

The InfoPrint 1570 MFP includes many features that simplify use. It provides job interrupt to accommodate priority copies, USB flash memory device print and scan, intuitive job cancel, auto sensing for letter and legal sizes, copy countdown, a legal-size flatbed scanner, e-mail print confirmation, customizable icons and embedded solutions, such as scan to folder.

Additional functions help to ensure professional results: reduce and enlarge, separator sheets, margin shift, edge erase and date/time stamp. With variable quality settings—1200x1200 dpi at reduced speed and 600x600 dpi at full speed—users can obtain the output quality they desire.

MarkVision printer management utilities help you achieve a cross-platform printer management solution. Administrators can monitor and manage network devices via a Web browser and receive real-time notification of printer conditions, such as low toner, to enable fast intervention when it's required.

PROVIDE HIGHER PERFORMANCE AND FUNCTIONALITY WITH THE HARD DRIVE MODEL

The models with a hard drive may help to process jobs faster and provide additional functionality. Scan preview gives users the opportunity to verify that the document has been scanned appropriately. In copy mode, you can create booklets from a sequence of collated output that, when folded in half, can form a booklet half the page size of the original document and with all the pages in order. Custom job and job build features

permit you to combine multiple scanning jobs into a single job. The hard drive model also includes more storage for jobs and fonts, and it offers an optional job accounting feature that enables chargeback.

ENHANCE DOCUMENT CONFIDENTIALITY AND SECURITY

Comprehensive, user-friendly security features include local and remote secure device management and network data security with protocols like IPSec. Intuitive PIN-secured confidential print functionality helps prevent documents from printing until an end-user is at the device to retrieve them. Administrative passwords, encryption, hard drive security and cable lock support provide robust protection. Flexible features such as configurable user authentication are compatible with other company applications such as LDAP, and a customizable operator panel allows customers to fine-tune printer functionality to fit their requirements.

INCREASE USABILITY WITH HARDWARE, SOFTWARE AND NETWORKING ENHANCEMENTS

To accommodate a variety of job types, the adjustable-height scanner cover is designed to remain open after it is lifted. In addition to a rear USB port, a USB direct port on the

front of the device helps simplify printing and scanning. Software enhancements include a 64-bit Windows® driver and versatile scan software. Networking options include enterprise wireless and gigabit.

WORK SMARTER, FASTER AND EASIER

Give your business a little boost with an intelligent MFP. The affordable InfoPrint 1570 MFP provides a customizable interface and enterprise security features to help you work smarter. You can work faster thanks to the printer's high performance, legal-sized flatbed scanner, high-usage supplies, and advanced functionality. The user-friendly color touch screen helps minimize the learning curve and makes work easier.

ENGAGE THE PRINTING EXPERTS

With InfoPrint Solutions Company, you can receive support when you need it from experts with comprehensive knowledge of printers, software and supplies. Same-day and next-day service offerings are available for InfoPrint Solutions Company printers in the U.S.

INFOPRINT 1570 MFP SPECIFICATIONS

Item	Specifications
Models	4542-001: No modem, no hard drive, duplex optional, 1 500-sheet input standard 4542-011, 012: Modem, no hard drive, duplex optional, 1 500-sheet input standard 4542-101, 102: No modem, hard drive, duplex optional, 1 500-sheet input standard 4542-111, 112: Modem, hard drive, duplex optional, 1 500-sheet input standard 4542-d01: No modem, hard drive standard, duplex standard, 2 500-sheet inputs standard 4542-d11, d12: Modem, hard drive standard, duplex standard, 2 500-sheet inputs standard
Printer Specifications	
Functions	Mono print, mono copy, color/mono scan, mono fax (modem required)
Maximum speed ¹	Up to 50 ppm (letter), 47 ppm (A4) simplex; 37 ppm (letter), 36 ppm (A4) duplex
First page out time ¹	As fast as 8.5 seconds
Processor	533 MHz
Maximum monthly usage ²	Up to 225,000 pages
Print resolution ⁵	1200 x 1200 dpi, 2400 IQ, 1200 IQ, 600 x 600 dpi
Duplex printing	4542-001, 011, 012: Optional 4542-101, 111, 112: Optional 4542-d01, d11, d12: Standard
Memory (std/max)	256 MB/768 MB
Hard drive	4542-001, 011, 012: None (cannot be upgraded) 4542-101, 111, 112: 40+GB 4542-d01, d11, d12: 40+GB
Memory slots	1 open DIMM slot; 2 open flash memory/firmware card slots; 1 open internal solution (ISP) port
Standard connectivity	USB, Ethernet
Connection USB Direct Drive	Scan and print
Optional connectivity	Serial RS-232 interface card, parallel 1284-B interface card, Ethernet (gigabit) 1000BaseTX (4 USB ports), Ethernet 10/100BaseTX (1 USB port), Ethernet 10/100BaseTX (1 parallel port), 802.11g wireless to Ethernet, 802.11g wireless to USB

INFOPRINT 1570 MFP SPECIFICATIONS

General Specifications

Copy/fax/scan Automatic Document Feeder (ADF)	Type: single pass duplex ADF with c-path Capacity: 50 sheets (20 lb. or 75 g/m ² bond)
Console type	Customizable, 8" (203 mm) color touch screen with an adjustable viewing angle
Supported environments ³	Microsoft® Windows Server® 2003, XP, XP x64, 2000, Me, 98, 95, NT® 4; UNIX®, Linux®, Mac OS and Novell®

Standard datastreams	PCL6 and PostScript emulation, PPDS Migration Tool, PDF v1.5
-----------------------------	--

Application solutions	IPDS™ and barcode solutions are available.
------------------------------	--

Paper handling³

Input sources (min/max)	2/7
Standard input capacity	4542-001, 011, 012, 101, 111, 112: 600 sheets (500-sheet input, 100-sheet multipurpose feeder); 4542-d01, d11, d12: 1100 sheets (2,500 sheet inputs, 100-sheet multipurpose feeder)
Optional input	4,100 sheets using up to four additional inputs 250, 500 and 2,000-sheet input available (may require the use of additional stands/base furniture; only one 2,000-sheet input can be installed)
Output locations (min/max)	1/1
Standard output capacity	500-sheet standard bin
Optional output	85-envelope total capacity

INFOPRINT 1570 MFP SPECIFICATIONS

Copy capabilities

Maximum copy speed ¹	Mono sides per minute simplex: up to 35 letter, 33 A4 Mono sides per minute duplex: up to 44 letter, 42 A4 Color sides per minute simplex: up to 17 letter, 16 A4 Color sides per minute duplex: up to 24 letter, 22 A4
Time to first copy ¹	Flatbed: as fast as 7.5 seconds ADF: as fast as 9.5 seconds
Multiple copies	1 - 999 (scans original only once); Copy countdown
Simplex/duplex copying	4542-001, 011, 012, 101, 111, 112: —Standard: 1 to 1, 2 to 1 —With optional duplex: 1 to 2, 2 to 2 4542-d01, d11, d12: —Standard: 1 to 1, 1 to 2, 2 to 1, 2 to 2
Reduce/enlarge	Variable zoom from 25% - 400%
Copy quality	Lighter or Darker (adjust the copy output darkness) Edge Erase (eliminate marks around the edge of originals) Content (set the scanner mode for text, text/photo, photo or printed photo) Selectable image resolution (Increasing resolution increases the file size) Advanced imaging (background removal, contrast, and shadow detail)
Copy finishing	Advanced duplex (set binding for landscape or portrait input and output) Collation (electronically collates copy output) Separator page (between copy sets) Margin shift (provides a margin for hole punching or binding)

Scan capabilities

Maximum scan size	8.5" x 14.0" (216 mm x 355 mm) from the flatbed or ADF
Maximum optical resolution	Mono scanning: 600 x 600 dpi Color scanning: 300 x 300 dpi
Scan file formats	PDF, JPEG or TIFF
Scan features	4542-001, 011, 012: —Duplex scan; Variable zoom from 25% - 400%; TWAIN drivers 4542-d01, d11, d12, 101, 111, 112: —Scan preview; Job Build from flatbed; Custom job from ADF and/or flatbed; Duplex scan; Create booklet; Variable zoom from 25% - 400%; TWAIN drivers

INFOPRINT 1570 MFP SPECIFICATIONS

Fax	4542-001: No fax (cannot be upgraded) 4542-011, 012: Fax standard 4542-101: No fax (cannot be upgraded) 4542-111, 112: Fax standard 4542-d01: No fax (cannot be upgraded) 4542-d11, d12: Fax standard
Maximum fax resolution	400 x 400 dpi
Modem speed	33.6 Kbps (3 seconds per page)
Receive fax	Yes
Fax memory	4542-011, 012: Up to 12 MB 4542-111, 112: Up to 4,096 fax jobs (depending on hard drive free space) 4542-d11, d12: Up to 4,096 fax jobs (depending on hard drive free space)
Fax speed dials	Up to 5,000
Fax broadcast locations	Up to 400
Send hard copy fax	Flatbed or ADF
Send soft copy fax	Outbound fax is supported from some printer drivers
Memory (delayed) send	Set time and date for when current job is to be faxed
Fax auto redial	Yes
Fax forwarding	Yes
Block junk fax	Yes
Cost-saving and environmental features	Some models Energy Star qualified (if duplex attached) Paper saver (N-up output) Standard or optional duplex printing Toner darkness setting offers up to 50% toner savings from the factory default setting of 8. Return program toner cartridges

Supply and maintenance items

Toner yield ⁴	4542-001, 011, 012: —Ship with: 10,000 pages —Aftermarket: 10,000 pages, 21,000 pages, 32,000 pages 4542-d01, d11, d12, 101, 111, 112: —Ship with: 21,000 pages —Aftermarket: 10,000 pages, 21,000 pages, 32,000 pages
Separator roll assembly ⁴	120,000 pages (or when the paper fails to feed properly from ADF)
Pick up assembly ⁴	120,000 pages (or when the paper double-feeds through the ADF)
White pressure pad	Lasts the life of the product (available in case the pad becomes damaged)
Maintenance kit ⁴	300,000 pages

INFOPRINT 1570 MFP SPECIFICATIONS

Printer media

Sizes	A4; A5; JIS B5; letter; legal; executive; folio; statement; some envelopes
Types	Plain paper; cardstock; transparencies; some envelopes; paper labels designed for laser printers (occasional use only)
Weights	Plain paper: 16 to 47 lb. (60 to 176 g/m ²) bond; Card stock: Up to 90 lb. (163 g/m ²) index

Physical characteristics

4542-001, 011, 012: 22" x 25" x 28" (560 mm x 645 mm x 710 mm) (WxDxH); 83 lb./37.7 kg (weight)
4542-101, 111, 112: 22" x 25" x 28" (560 mm x 645 mm x 710 mm) (WxDxH); 84.5 lb./38.3 kg (weight)
4542-d01, d11, d12: 22" x 26" x 35" (560 mm x 660 mm x 890 mm) (WxDxH); 102.8 lb./102.8 kg (weight)

Warranty North America

One year, 9x5 next-day on-site repair

Warranty Europe, Middle East, Africa and Asia Pacific

One year (unless country law dictates otherwise), 9x5 next-day on-site repair (upgrades are available). Not available in all locations. Contact your local InfoPrint Solutions Company representative for local availability.

What's in the box*

4542-001, 011, 012:

- Printer
- 10,000-page toner cartridge
- Setup Sheets (Network and Local Attachment)
- Safety Information Sheet
- Safety Stability Sheet
- Software and Documentation CD
- Warranty Sheet/Book (Country dependent)
- Hot Surface Warning Sheet (Taiwan Only)
- WEEE Booklet (Country dependent)
- Paper Output Bin Paper Bail
- ADF Label
- Power Cord
- RJ-11 Phone Cable (if applicable)
- RJ-11 Phone Adapter (if applicable)
- Supplies Use and Return Flyer

4542-101, 111, 112:

- Printer
- 21,000-page toner cartridge
- Setup Sheets (Network and Local Attachment)
- Safety Information Sheet
- Safety Stability Sheet
- Software and Documentation CD
- Warranty Sheet/Book (Country dependent)

4542-d01, d11, d12:

- Printer
- 21,000-page toner cartridge
- Duplex unit
- 500-sheet input drawer
- Setup Sheets (Network and Local Attachment)
- Safety Information Sheet
- Safety Stability Sheet
- Software and Documentation CD
- Warranty Sheet/Book (Country dependent)
- Hot Surface Warning Sheet (Taiwan Only)
- WEEE Booklet (Country dependent)
- Paper Output Bin Paper Bail
- ADF Label
- Power Cord
- RJ-11 Phone Cable (if applicable)
- RJ-11 Phone Adapter (if applicable)
- Supplies Use and Return Flyer

- Hot Surface Warning Sheet (Taiwan Only)
- WEEE Booklet (Country dependent)
- Paper Output Bin Paper Bail
- ADF Label
- Power Cord
- RJ-11 Phone Cable (if applicable)
- RJ-11 Phone Adapter (if applicable)
- Supplies Use and Return Flyer

INFOPRINT 1570 MFP PRINTER SUPPLIES AT A GLANCE		
Part number	Product description	Yield (Sets)*
39V0541	Toner Cartridge	10,000
40X0100	Maintenance kit LV	300,000
39V0543	High Yield Toner Cartridge	21,000
39V0544	Return Program High Yield Toner Cartridge	21,000
39V0545	Extra High Yield Toner Cartridge	32,000
39V0546	Return Program Extra High Yield Toner Cartridge	32,000
40X0100	Maintenance kit LV	300,000
40X0101	Maintenance kit HV	300,000
40X0116	Fuser LV	300,000
40X0117	Fuser HV	300,000
40X0127	Charge Roll	300,000
40X0130	Transfer Roll	300,000
40X0454	Separator Roll Assembly	120,000
40X0453	Pick Up Assembly	120,000
40X0466	Cushion, White Pressure Pad	Life of product

*These numbers reflect an approximate average yield that has been established for each supply item indicated based on 5% coverage. These yields are not a guarantee of minimum life and are not covered under warranty but are provided to assist in supplies planning. Actual usage should be used to establish the life of the supply product in each end user's specific application. Many factors, such as print coverage per page, paper type and size, model type and environmental conditions can affect supply life.

**All maintenance supplies except the fuser and fuser contained within the maintenance kits are customer installable. Installation support is provided with an InfoPrint Solutions Company maintenance contract. If you do not have a maintenance contract, installation services for these kits are available at InfoPrint Solutions Company current billable service rate for this product, with a one-hour minimum. The maintenance kit must be purchased separately by the customer before contacting InfoPrint Solutions Company for installation. Declared value in accordance with ISO/IEC 19752.

FOR MORE INFORMATION

To learn more about the InfoPrint 1570

MFP, visit:

infoprint.com/workgroup

© Copyright InfoPrint Solutions Company 2007

InfoPrint Solutions Company, LLC
 6300 Diagonal Hwy 002J
 Boulder, Colorado 80301-9270
 InfoPrint Solutions Company

Printed in the United States of America
 June 2007
 All Rights Reserved

InfoPrint Solutions Company is a trade name of InfoPrint Solutions Company, LLC, in the United States, other countries or both. InfoPrint Solutions Company, LLC is a joint venture of Ricoh Co., Ltd., and International Business Machines Corporation.

InfoPrint, Intelligent Printer Data Stream and IPDS are trademarks or registered trademarks of InfoPrint Solutions Company in the United States, other countries or both.

IBM and AIX are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries or both.

Adobe, PostScript and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. Other company, product and service names may be trademarks or service marks of others.

Microsoft, Windows, Windows NT, Windows Server and the Windows logo are registered trademarks of Microsoft Corporation in the United States, other countries or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Linux is a trademark of Linus Torvalds in the United States, other countries or both.

References in this publication to InfoPrint Solutions Company products or services do not imply that InfoPrint Solutions Company intends to make them available in all countries in which InfoPrint Solutions Company operates. InfoPrint Solutions Company hardware products are manufactured from new parts, or new and used parts. In some cases, the hardware product may not be new and may have been previously installed. Regardless, our warranty terms apply.

- ¹ Exact speed varies depending on document complexity, system configuration, software application, driver and printer state.
- ² InfoPrint Solutions Company does not recommend printing this monthly maximum on a consistent basis.
- ³ Not all versions are supported. Contact your sales representative for a detailed list of supported versions.
- ⁴ Assumes 5% coverage per page. Yields are provided for planning purposes and are not a guarantee of minimum life; actual yields may vary. Declared yield value in accordance with ISO/IEC 19752.