

InfoPrint Pro C900AFP



Cutsheet

A fast, reliable, easy-to-use, full-color IPDS, PostScript, PDF and PPML cutsheet printer

Increase versatility to address a spectrum of needs

The InfoPrint Pro C900AFP is an excellent solution for small- and medium-sized companies that need a flexible solution to support multiple datastreams that can accommodate a range of applications. You may be printing mission-critical applications such as invoices or other transactional documents, personalized direct mail pieces or Print On-Demand applications, such as manuals, booklets and presentations. The InfoPrint Pro C900AFP can provide the versatility, quality and speed that are essential to customer satisfaction and operational efficiency.

With the InfoPrint Pro C900AFP, you can leverage existing Advanced Function Presentation™ (AFP™) capabilities to produce 1200 x 1200 DPI color invoices, statements and TransPromo quickly and easily. The InfoPrint Solutions-developed color controller, which utilizes a powerful IBM® Quad-Core Intel® Xeon® processor can deliver true Intelligent Printer Data Stream™ (IPDS) printing with page-level recovery. With no transforms involved, you can save precious time and simplify workflow.

HIGHLIGHTS

- Supports industry-standard datastreams such as IPDS, PostScript, Adobe PDF and PPML
- Delivers full-color, mission-critical variable data applications
- Helps improve customer response by providing relevant color messaging
- Boosts operator efficiency via the flexible, easy-to-use interface
- Differentiates your documents with high-quality, consistent color and monochrome output up to 90 ipm1 on a 1200 x 1200 DPI two-bit engine
- Includes InfoPrint Job Ticket Editor, a JDF-based job ticketing tool for PostScript and PDF
- Provides robust finishing options such as stapler, postfuse cover inserter, booklet maker, ring binder and perfect binder
- Minimizes downtime with on-the-fly toner and paper changes
- Maximizes application flexibility with support for a range of media—up to 13" x 19.2"

RICOH
InfoPrint Solutions

Many companies, including direct mailers, utilize the Personalised Printer Markup Language (PPML) datastream to create personalized, variable content color pages to maximize the effectiveness of customer communications. No problem! The InfoPrint Pro C900AFP can also meet your needs with PPML support. Software vendors provide datastream choices to offer application flexibility, and so must your print vendor.

For more traditional Print On-Demand jobs, such as manuals, booklets or presentations, the InfoPrint Pro C900AFP supports both PostScript and PDF datastreams. By utilizing the InfoPrint Job Ticket Editor, a powerful and easy-to-use JDF-based job ticketing tool, you can create simple or complex fully finished documents. When using the Job Ticket Editor, you can instruct the printer to print covers on different media, insert pages (pre- or postfuse), inserts tabs, force printing to the front of a new page and select finishing devices. Yes, one printer can do all of the above—and help you avoid outsourcing!

Deliver full-color, variable data output with confidence

As the demand for full-color output grows, so does the complexity of the output that is generated. While early color applications were somewhat static, today's color applications are highly variable,

both in text and graphics content. To deliver these types of applications, you need a print architecture that can accommodate dynamic elements and evolving requirements. InfoPrint Solution Company's AFP architecture is a leader in meeting the rigorous needs of high-speed, mission-critical output.

The InfoPrint Pro C900AFP printer can address requirements for high-quality, full-color variable data output in an easy-to-use solution that supports industry-standard AFP color management architecture. The AFP architecture is published by the AFP Consortium (www.AFPcolor.org) to deliver accurate, consistent and device-independent color rendering.

Improve productivity and ease of use

The InfoPrint Pro C900AFP is designed for ease of use, which can save time and maintain productivity. For example, the operator interface of the InfoPrint Pro C900AFP is consistent with other InfoPrint Solutions AFP production devices, such as the InfoPrint 5000 and the InfoPrint 4100. As a result, operators can get up to speed quickly, minimize training time and leverage their existing skills to manage workflow and the printer. The easy-to-use calibration tools and color tuning adjustments can help maintain consistent color quality.

In addition to multiple datastream support and job ticketing, the following capabilities help you sustain throughput:

- Configurable input and output capabilities to match job requirements
- Ability to print on media that is up to 13" x 19.2"
- Support of coated stocks of 130 gsm up to 300 gsm²
- Nondisruptive, change-on-the-fly paper and toner
- Robust finishing options, such as stapler, postfuse cover inserter, booklet maker, ring binder and perfect binder

Transition yesterday's applications into today's efficient applications

Traditionally, companies deliver invoices, statements or direct mail pieces to customers using a combination of monochrome output devices and offset to produce pieces that are commingled and mailed. Current economic pressures, however, are causing companies to reevaluate their methods. The InfoPrint Pro C900AFP is designed to produce attention-getting documents that engage your customers and help you lower cost and reduce waste.

Just make a few simple changes to your traditional monochrome applications: color logos, highlights that call attention to important data, and targeted marketing information used in promotions or coupons. These changes can differentiate your documents and drive improved customer response by

providing relevant color messaging. TransPromo applications take this a step further by combining data mining, analytics and application composition to specifically target printed output to each customer.

In addition, many print/IT managers see the benefits of leveraging one color device for multiple applications—transactional and Print On-Demand. The InfoPrint Pro C900AFP can ease your transition into contemporary applications that expand the smart use of color.

Choose a leader in complex variable data printing and print on-demand

To help you implement the tools necessary to transition your applications, InfoPrint Solutions Company offers InfoPrint-developed and third-party solutions to address needs such as composition, workflow and print management. Our Professional Services experts can provide excellent guidance as you implement solutions to help maximize your investment, and our world-class service organization and infrastructure can maintain the availability of your solution.

No matter how large or small your output needs, choose InfoPrint—a leader in complex variable data printing, full-color Advanced Function Presentation solutions and Print On-Demand. Why wait? Opportunity is knocking.

For more information

Contact your InfoPrint Solutions Company representative or InfoPrint Solutions Partner or visit: infoprint.com

C900AFP at a glance

Item	Specifications
Hardware components	
Printer controller	External InfoPrint Solutions printer controller supports color IPDS, PostScript, PDF and PPML using an IBM Quad-Core Intel Xeon Processor. Includes CPU, stand, touch-screen monitor and keyboard.
Print speed	Up to 90 ipm ¹
Maximum monthly usage	400,000 duty cycle ³ 240,000 per month maximum average usage
Paper handling	
Standard input capacity	Up to 2,500 sheets using standard input trays <ul style="list-style-type: none">Tray 1 – (tandem tray) 1,000 x 2 sheetsTray 2 – 500 sheets
Output capacity	SR5000 3000 sheets (letter/A4) <ul style="list-style-type: none">Offset stackingProof tray: 500 sheetsStaple capacity: 2 to 100 sheets (letter/A4)Optional PU5000 2/3, 2/4 or 4 hole punch unit
Optional input , output and accessories⁴	
RT5000 A4/LTR high capacity tray (Note: cannot use with RT5020)	4,550 sheets (letter/A4), up to 216 gsm <ul style="list-style-type: none">Tray 3: 1,000 sheetsTray 4: 1,000 sheetsTray 5: 2,550 sheets
RT5020 13 x 19.2 high capacity tray (up to two). If two RT5020s are configured, then the BU5000 bridge unit is required.	4,000 sheets (A5/HLT SEF) to 13 x 19.2 and custom sizes, up to 300 gsm <ul style="list-style-type: none">Tray 3: 2,000 sheetsTray 4: 2,000 sheets
BY5000 multibypass tray	500 sheets (letter/A4), up to 216 gsm
C15010 cover interposer	400 sheets (A5_SEF/HLT_SEF to 13 x 19.2), up to 216 gsm <ul style="list-style-type: none">Tray 1: 200 sheetsTray 2: 200 sheets
SK5000 high capacity stacker and cart (up to two)	5,000 sheet stacker with roll-away cart <ul style="list-style-type: none">Proof tray: 500 sheetsAdditional roll-away carts available
BK5010e saddle-stitch booklet maker Requires BK5010 rail unit	Additional options: <ul style="list-style-type: none">CF5020 cover feeder unitTR5020 trimmer unit

C900AFP at a glance

Item	Specifications
RB5000 ring punch	<p>Punches and ring binds 2 to 100 sheets (20 lb)</p> <ul style="list-style-type: none"> 100 and 50 page ring options (black or white)
GB5000 perfect binder	<p>Perfect binds books up to 200 pages (20 lb.)</p> <ul style="list-style-type: none"> Cover interposer (200 pages) Glue bind 3 side, 1 side or no trim
Printer media	
Sizes	<p>A3 (SEF), B4 (SEF), A4 (LEF/SEF), B5 (LEF/SEF), DLT (SEF), LG (SEF), LT (LEF/SEF), HLT (SEF), foolscap (SEF), Folio (SEF), F (SEF), Executive 10.5 x 7.25 & 10.5 x 8 & 10 x 8 (all LEF), Executive other (SEF), SRA3 (SEF) and custom edge—width min 5.5 max 13—length min 7.17 max 18.03</p> <p>Weight = 60 to 220 gsm without large capacity tray; 60 to 300 gsm with large capacity tray. With A4/LCT = 60 to 216 gsm (duplex not supported above 220 gsm) (coated stock below 130 gsm not supported).</p>
Types	Paper types: Please contact your InfoPrint representative for approved or recommended types.
Communication protocols	TCP-IP
Print language support	Advanced Function Presentation – Intelligent Printer Data Stream (IPDS), PostScript, PDF, PPML
Print Drivers and Utilities	<p>Print drivers – Adobe PostScript 3:</p> <ul style="list-style-type: none"> Windows Server 2003, XP, Vista, Server 2008, Seven: 32-Bit Mac OS 10.5, 10.6 Windows® and Mac Drivers Developed for Basic and Advanced Users Bidirectional Built with Install programs Integrated Virtual Visual Job Ticket Editor <ul style="list-style-type: none"> Job Property Capabilities <ul style="list-style-type: none"> Basic Setup – name, description, copies Finishing Layout – including multiple up support Color Media Page-level Capabilities <ul style="list-style-type: none"> Inserts Media Substitution Layout Substitution Subset Finishing Tabs, including inserting text onto the tab <p>AIX® 5.2 and above (AIX printing subsystem) Linux® open SUSE 10.3 – CUPS base printer driver Full PPD</p> <p>Utilities</p> <ul style="list-style-type: none"> Stand-Alone Direct Submission Utility <ul style="list-style-type: none"> Submits Single or Multiple (PS or PDF) Jobs with or without Job Tickets Calls Job Ticket Editor for New or Modified Tickets Network Printer Manager

For more information

Contact your InfoPrint Solutions Company representative or InfoPrint Solutions Partner or visit: infoprint.com

C900AFP at a glance

Item	Specifications
Software support	PSF for zSeries® V4 R1 +PTF PSF for iSeries® V5 R4 +PTF InfoPrint Manager AIX V4 R3 +PTF InfoPrint Manager WIN V2 R3 +PTF InfoPrint Productivity Tracker V2 R1 +PTF InfoPrint Process Director (IPPD) V1.3.1 PU6
Physical characteristics	Printer version base unit (H x W x D): 57 x 49 x 39 (1450 x 1250 x 990 mm) Weight: 1543 lbs. (700 kg) Control Unit (H x W x D including stand and monitor): 53 x 24 x 36 (1346 x 610 x 914 mm) Weight 160 lbs (73 kg)
Power requirements	Base engine: 208 V - 240 V, 24 A, 50/60 Hz—North America 220/230/240 V, 25 A, 50/60 Hz—European version Printer controller: 100 V - 120 V/200 V - 240 V, 10 A/5 A, 50/60 Hz—worldwide
Warranty	Worldwide warranty period is 90 days, break/fix only, unless country law dictates otherwise. Base warranty service level is 9x5 Next Business Day onsite repair. Warranty does not include toner or preventative maintenance (PM). Maintenance upgrades may be available. Customers will receive toner and preventive maintenance with a signed maintenance agreement. If a maintenance agreement is signed during warranty, the click and maintenance (MMMC) will begin billing from the date of installation. If an in-warranty maintenance agreement is purchased the provisions for warranty are included. Please contact your InfoPrint Solutions Company representative.
Usage click	Toner is included. There are two separate click rates: one for any impression using black toner only and one for any impression using color toner. Under the standard program customers will be billed for both click rates each month. The usage click is per impression. Any paper size up to A3 (297 mm x 420 mm, 11.69" x 16.54") is counted as one usage click. Any size equal to or greater than A3 is counted as two usage clicks. For more information on this or alternative usage programs please contact your InfoPrint Solutions Company representative. InfoPrint reserves the right to bill for excessive toner consumption. Refer to www.infoprint.com/acceptablelimit for more information.

InfoPrint Pro C900AFP printer supplies at a glance

Part number	Description	Yield (Pages) ⁵
45U2675	Toner—Black	72,000 x 1
45U2676	Toner—Yellow	72,000 x 1
45U2677	Toner—Magenta	72,000 x 1
45U2678	Toner—Cyan	72,000 x 1
45U2679	Toner Waste Bottle	220,000
41U2175	Staple Cartridge Type M for SR5000 (20 boxes)	5,000 x 20 = 100,000 staples
41U2176	Staple Refills Type M for SR5000 (6 boxes with 5 refills)	5,000 x 30 = 150,000 staples
44D6079	Glue supply Type A for perfect binder	Approximately 1,300 books
44D6080	Ring binder supply Type A, letter – WHITE (binds up to 100 sheets) (5 boxes)	75 per box = 375 ring binders
44D6083	Ring binder supply Type A, letter – BLACK (binds up to 100 sheets) (5 boxes)	75 per box = 375 ring binders
44D6089	Ring binder supply Type A, letter – WHITE (binds up to 50 sheets) (5 boxes)	75 per box = 375 ring binders
44D6127	Ring binder supply Type A, letter – BLACK (binds up to 50 sheets) (5 boxes)	75 per box = 375 ring binders
44D6173	Ring binder supply Type A, A4 – WHITE (binds up to 100 sheets) (5 boxes)	75 per box = 375 ring binders
44D6175	Ring binder supply Type A, A4 – BLACK (binds up to 100 sheets) (5 boxes)	75 per box = 375 ring binders
44D6176	Ring binder supply Type A, A4 – WHITE (binds up to 50 sheets) (5 boxes)	75 per box = 375 ring binders
44D6177	Ring binder supply Type A, A4 – BLACK (binds up to 50 sheets) (5 boxes)	75 per box = 375 ring binders
45U4773	Staple Cartridge Type BK5010e	5,000 x 4 = 20,000 staples

ENDNOTES

- ¹ Exact speed varies depending on document complexity, system configuration, software application, driver and printer state.
- ² See user documentation for specific media types, weights and sizes that are supported.
- ³ InfoPrint Solutions Company does not recommend printing this monthly maximum on a consistent basis.
- ⁴ Options are subject to availability.
- ⁵ These yields are not a guarantee of minimum life and are not covered under warranty, but are provided to assist in supplies planning. Actual usage should be used to establish the life of the supply product in each end user's specific application. Many factors, such as print coverage per page, paper type and size, and environmental conditions can affect supply life. These numbers reflect an approximate average yield that has been established for each supply item indicated based on 5 percent coverage.

© Copyright InfoPrint Solutions
Company 2010
All rights reserved

InfoPrint Solutions Company, LLC
6300 Diagonal Highway 002J
Boulder, Colorado 80301-9270
U.S.A.

Printed in the United States of America
May 2010

Ricoh, InfoPrint and the InfoPrint logo are trademarks or registered trademarks of Ricoh Co., Ltd., in Japan, the United States and other countries, and are used under license from the trademark owner.

InfoPrint Solutions is a tradename of InfoPrint Solutions Company, LLC, in the United States, other countries, or both.

References in this publication to InfoPrint Solutions Company products or services do not imply that InfoPrint Solutions Company intends to make them available in all countries in which InfoPrint Solutions Company operates. Any purchase of such products or services will be exclusively governed by the terms of the sales or license agreement applicable to such purchase to the maximum extent allowed by law.

These terms are trademarks or registered trademarks of Ricoh Co., Ltd., in the United States, other countries, or both: InfoPrint, Advanced Function Presentation, Intelligent Printer Datastream and InfoPrint Solutions Company.

These terms are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both: IBM, AIX, iSeries, and zSeries.

Intel and Intel Xeon are trademarks of Intel Corporation in the United States, other countries, or both.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Windows is a trademark of Microsoft Corporation in the United States, other countries, or both.

Other company, product and service names may be trademarks or service marks of others.